




| ID  | ITEM    | DESCRIPTION                                     |
|-----|---------|-------------------------------------------------|
| 002 | 983.002 | SUCTION RUBBER PLATE                            |
| 002 | 62.55MH | MULTI HOLES VELCRO RUBBER PLATE                 |
| 003 | 9.331   | TOOTHED WASHER                                  |
| 004 | 9.676   | SCREW M5 x 18 T.C.C. BURNISHED                  |
| 005 | 61.89/4 | BASE PLATE (WORKED)                             |
| 005 | 61.89   | BASE PLATE                                      |
| 006 | 9.329   | TOOTHED WASHER                                  |
| 007 | 9.612   | SCREW M4 x 10 T.G.S. BURNISHED                  |
| 008 | 617.55  | COMPLETE BOW                                    |
| 009 | 615.55  | SKID FOR BLACK PVC BOW 68/70 SHORE              |
| 010 | 9.252   | STEEL WASHER d 7,6x4,4 s 1,8 autobl. NL4D AK150 |
| 011 | 9.624   | SCREW M4 x 10 T.C.C. BURNISHED                  |
| 012 | 66.14   | VACUUM FILLER                                   |
| 013 | 9.99/10 | BEARING NSK 6201 DDUCM D EA3S6                  |
| 014 | 54.14   | SPACER SET                                      |
| 015 | 9.99/10 | BEARING NSK 6201 DDUCM D EA3S6                  |
| 016 | 59.14   | LOCKING CUP SS70-SSCA                           |
| 017 | 63.14   | RUBBER RING                                     |
| 018 | 641.14  | HOSE CLAMP                                      |
| 019 | 571.55  | PRIMARY COUNTERWEIGHT                           |
| 019 | 57.55   | PRIMARY COUNTERWEIGHT                           |
| 020 | 9.606   | SCREW M3 x 18 T.C.C. NIK                        |
| 021 | 51.14   | SPINDLE SHAFT                                   |
| 022 | 9.502   | SPANNER 3x3,7                                   |
| 023 | 50.55   | GEAR + PINION                                   |
| 024 | 9.613   | SCREW M4 x 10 T.B.E. 12K BURNISHED              |
| 025 | 9.86/10 | BEARING SKF 6202 2RSL                           |
| 026 | 55.55   | NUT MF14 p 1                                    |
| 027 | 75.55   | INSULATION SLEEVE SS70                          |
| 028 | 9.650   | SCREW 3,5x19 ( 6x3/4") T.C.C.                   |
| 029 | 361.55  | GREASE BOX SS70                                 |
| 030 | 321.55  | GEAR HOUSING SS70                               |
| 031 | 9.483   | ROLL d 2,5 x13,8                                |
| 032 | 81.55   | KNOB                                            |
| 033 | 9.645   | SCREW M8 x 16 T.C.C. BURNISHED                  |
| 034 | 80.89   | BAG                                             |
| 035 | 9.1241  | TUBE EVA cm.42 (d 20x25)                        |
| 036 | 674.89  | CONNECTOR                                       |
| 037 | 86.89   | COVER SSCA                                      |
| 038 | 9.614   | SCRE M4 x 12 T.C.C. d7,7 BRN 8.8                |
| 039 | 9.323   | IRON SPACER 14/4,2/1                            |
| 040 | 9.334   | TOOTHED WASHER                                  |
| 041 | 9.377   | STEEL WASHER d16 x 9,4 s 1,5                    |
| 042 | 9.305   | STEEL WASHER d15 x 9,1 s 0,3                    |
| 043 | 84.89   | PRESSURE FAN                                    |
| 044 | 841.89  | FAN HUB                                         |
| 045 | 9.660   | SCREW 3,9x16 ( 7x5/8") T.C.C.                   |
| 046 | 9.551   | SCREW 2,9x13 ( 4x1/2") T.C.C.                   |
| 047 | 9.522   | NUT M4 GALVANIZE                                |
| 048 | 34.89   | MOTOR BODY COVER                                |
| 049 | 9.314   | STEEL WASHER d31,9 x 26 s 0,1                   |
| 050 | 9.359   | WASHER d35 x 26 s 1                             |
| 051 | 55.89   | DUST GUARD SSCA                                 |
| 052 | 9.391   | WASHER d22 x15 s 3                              |
| 053 | 9.311   | STEEL WASHER d22 x 17,2 s 0,3                   |
| 054 | 9.320   | STEEL WASHER d23 x 9,1 s 0,3                    |

| ID  | ITEM           | DESCRIPTION                                              |
|-----|----------------|----------------------------------------------------------|
| 055 | 9.304          | STEEL WASHER d15 x 9,1 s 0,1                             |
| 056 | 48.89          | OUTER BRUSH COVER + SCREW E R.                           |
| 057 | 9.614          | SCRE M4 x 12 T.C.C. d7,7 BRN 8.8                         |
| 058 | 9.326          | GROWER WASHER                                            |
| 059 | 58.55          | SECONDARY COUNTERWEIGHT                                  |
| 060 | 9.187/10       | BEARING 629 2BRS R66 FA227                               |
| 061 | 9.561          | SCREW M3 x 6(5)T.C.ZIGR.COPPER                           |
| 062 | 31.55          | SS70-SSCA MOTOR BODY                                     |
| 063 | 9.676          | SCREW M5 x 18 T.C.C. BURNISHED                           |
| 064 | 46.45          | BRUSH HOLDER COOPER PLATTED                              |
| 065 | 47.45/10       | 10 BRUSHES BLISTER RP84-SS70-SSPF                        |
| 066 | 48.55          | RECTANGULAR PLATE FIB. 22 x 14 s1                        |
| 067 | 44.55          | HANDLE COVER                                             |
| 068 | 9.615          | SCREW M4 x 12 T.G.S.BURNISHED                            |
| 069 | 45.00.14/C     | SWITCH                                                   |
| 070 | 9.660          | SCREW 3,9x16 ( 7x5/8" ) T.C.C.                           |
| 071 | 444.14         | CABLE CLAMP NYLON                                        |
| 072 | 42.40          | CABLE SLEEVE LH/GM/GP/SSPF                               |
| 073 | 9C2X1,0NAU5FOR | CABLE 2X1 (plug Australia) H07RN-F mt.5                  |
| 073 | 9C2X1,0R404FOR | CABLE 2X1 (plug D4) H07RN-F mt.4 with fork (only Swiss)  |
| 073 | 9C2X1,0NGB4FOR | CABLE 2X1 (plug UK) with fork H07RN-F CENTRAL METAL PLUG |
| 073 | 9C2X1,0N485FOR | CAVO 2x1 (spina Schuko d4,8) mt.5 H05RN-F con forchetta  |
| 073 | 9C2X1,5V003FOR | CABLE 2X1,5 (without plug) mt.3,50 with fork             |
| 074 | 2.55/240       | STATOR (V.240)                                           |
| 074 | 2.55/220       | STATOR (V.220)                                           |
| 074 | 2.55/110       | STATOR (V.110)                                           |
| 074 | 2.55/048       | STATOR (V.48)                                            |
| 075 | 9.651          | SCREW 4,2x50 ( 8x2" ) T.C.C.                             |
| 076 | 9.187/10       | BEARING 629 2BRS R66 FA227                               |
| 077 | 1.89/220       | ROTOR (V.220-240)                                        |
| 077 | 1.89/110       | ROTOR (V.110)                                            |
| 077 | 1.89/048       | ROTOR (V. 48)                                            |
| 078 | 15.55          | FAN 12 BLADES                                            |
| 079 | 9.85/10        | BEARING SKF 6000 2RSL                                    |
| 080 | 268.55         | BEARING CAP                                              |
| 081 | 77.55          | INDUCTANZE WITH CABLE                                    |
| 082 | 9.1505         | CONDENSER CIL. MOD. MKT70 220 nF-K 250V                  |
| 083 | 774.55         | CABLE BRUSH HOLDER SS70                                  |